

#### EXTRAORDINARY

भाग II—खण्ड 3—उप खण्ड (ii) PART II—Section 3—Sub-section (ii) प्राधिकार से प्रकाशिन

PUBLISHED BY AUTHORITY

21]

नई दिल्ली, बुधवार, जनवर्ग 4, 2012/पौष 14, 1933

No. 21] NEW DELHI, WEDNESDAY, JANUARY 4, 2012/PAUSA 14, 1933

## सड्क परिवहन और राजमार्ग मंत्रालय

### अधिसूचना

नई दिल्ली, 4 जनवरी, 2012

का.आ. 24(अ).—मोटरयान अधिनियम, 1988 की धारा 58 की उप-धारा (3) एवं धारा 110 को उप-धारा (3)(ए) द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए, केन्द्र मरकार, एतद्द्वारा, निम्नलिखित ट्रेलरों के हरियाणा में पजीकरण हंगु जिनका अधिकतम सुरक्षित तथान भार और आकार संलग्न अनुसूची में जिल्लिखित है, अनुमोदन प्रदान करती है :---

#### अनुसूची

ट्रेलरों की किस्म : स्वतंत्र ट्रेलर

ः मै. श्याम रोडलाइस गुडगाँव

निर्माता 🕝

: मै. ट्रेटेक इंजीनियर्स प्राईवट लिमिटेड, गुडगाँव

ट्रेलरों की संख्या :

5 ट्रेलरो का वर्णन :

चर्मा म	धृरिया <b>की</b> संख्या	टायरों की सं., विवरण, आकार	माप (लम्बाई × चाडार्र > ऊंचाई)	खाली वजन (कि.ग्रा )	प्रति धुरी अधिकतम लदान भार (किं.ग्रा.)	भार/सकत (कि गा )
04/11/02078 04/11/02079	6 (प्रत्येक पंक्ति में 2 धुरि)	48 टायर, प्रत्येक धुरि में 8 टायर, 7.50 × 20 × 12 पी आर	12612 मि.मि. × 3000 मिमि. × 1250 मिमि.	27,000	18,000	1,08,000
04/11/02080 04/11/02081	4 (प्रत्येक पॉक्न म 2 ध्र्रार)	32 टायर, प्रत्येक धुरि में 8 टायर, 7.50 × 20 × 12 पी आर	9512 मि.मि. × 3000 मिमि. × 1250 मिमि.	17,800	18,000	72,000

04/11/02082	3 (प्रत्येक	24 टायर, प्रत्येक	7962 मि.मि. ×	13,500	000,81	54,000
04/11/02083	पंक्ति में	धुरि में 8 टायर,	3000 मिमि. ×		•	
	2 धुरि)	$7.50\times20\times12$	1250 मिमि.			
		पी आर	- (			

# 6. उपर्युक्त छूट इन शतों के अध्यधीन है :---

- (i) इन ट्रेलरों का प्रचालन कभी-कभार किया जाएगा।
- (ii) लो. नि. वि./स्थानीय प्राधिकारिया/भारतीय राष्ट्रीय राजमार्ग पाधिकरण द्वारा विभिन्न सडको क लिए विर्नार्टस्ट भार प्रिक्टिशा का अनुपालन किया जाएगा ओर बाहनो को प्रत्येक बार सडको पर लाते समय इन प्राधिकारिया स अनुपात ली जाएगी । सुरक्षा की दृष्टि से ट्रेलरों का प्रत्येक प्रचालन राज्य/संघ शासित प्रदेश/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण के संबंधित परिवहन विभाग द्वारा अनुमोदित किया जाएगा आर उस पर कड़ी निगरानी रखी जाएगी ।
- (iii) वाहन पर खतरे संबंधी सभी झंडिया ओर बत्तियां लगी होनी चाहिए, बेहतर यह होगा कि लदे हुए वाहन के आगे तथा पीछे एक-एक वाहन स्पष्ट रूप से यह दर्शाता हुआ चले कि भारी लदा हुआ वाहन गुजर रहा है।
- (iv) सड़क की चौड़ाई में ट्रेलरों को जोडने की अनुमति नहीं दी जाएगी।
- (v) वाहनों के आवागमन कार्यक्रम की मूचना कम-से-कम दस दिन पूर्व संबंधित कार्यपालक इंजीनियरों को दी जानी चाहिए और उनकी स्वीकृति प्राप्त कर लेनी चाहिए।
- (vi) ट्रेलरों का अलग पंजीकरण किया जाएगा न कि संयुक्त रूप से ।
- (vii) किसी राज्य या केन्द्र शासित प्रदेश के लोक निर्माण विभाग/स्थानीय प्राधिकारियो भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा यदि ऐसा निर्देश दिया जाए तो लदे हुए वाहनों को उस राज्य/संघ शासित प्रदेश में महका पर बने पता य गुजरने की अनुमति नहीं होगी और ऐसे मामलों में आवेदकों को निदयों/नालों को पार करने के लिए स्वय त्यवस्था करना हागी।
- (viii) बड़े आकार के कार्गों को ध्यान में रखते हुए उन्हें कियी भार्ग निशेष पर चलने से पहले प्रत्येक बार मर्योधत राज्य या संघ शासित प्रदेश के प्राधिकारियों/भारतीय राष्ट्रीय राजमाग पाधिकरण की अनुमित प्राप्त करनी होगी। एस प्रत्येक आवागमन के लिए संबंधित प्राधिकारी द्वारा समय का निर्धारण किया जाना चाहिए।
  - (ix) वे राज्य/संघ शासित प्रदेश/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण के प्राधिकारियों द्वारा निर्धारित गति सीमा का पालन करेंगे ।
  - (x) उक्त वाहन, यातायात के सामान्य आवागमन में कोई बांधा पहुंचाए बगैर चलाया जाना चाहिए ।
  - (xi) सडक पर चलने के लिए ट्रेलरों की अधिकतम गति दस कि.मी./घंटा से अधिक नहीं हानी चाहिए।
- (xii) ट्रेलरो की सम्पूर्ण चौडाई मे अगले एव पिछल हिस्से पर पीले एवं काले रंग से जेबरा पट्टी बनाई जाएगी और उस पर यित्र के समय चलाने के लिए विधिवत् िताखा होना चाहिए/पार्किंग के लिए आगे और पीछे समुचित रूप से लाल बत्ती होनी चाहिए तथा दिन में दोनों ओर लाल झण्डी लगाई जाएंगी, जिससे वाहन की सही-सही स्थिति का स्पष्ट रूप से पता चल सके। इसके अतिरिक्त, माल का बाहरी भाग पूरी नगह से एक लाल परावर्तक/परावर्ती टेप से ढका होना चाहिए ताकि रात्रि के समय बाहरी भाग निर्विष्ट रूप से दिखाई दे।
- (xiii) मै. श्याम रोड़लाइंस गुड़गाँव, सड़को अथवा सड़क ढांचों/अन्य मडक प्रयोक्ताओं/व्यक्तियों का मान बाहनों के प्रचालन के कारण प्रत्यक्ष अथवा अप्रत्यक्ष रूप रा हुई किसी क्षति के लिए राज्य/सब शासित प्रदेश सरकार भागीय राष्ट्रीय राजमार्ग प्राधिकरण या किसी अन्य प्रभावित व्यक्ति को ऐसी राशि का भुगतान करने के लिए जिम्मेदार होगा।
- (xiv) मै. श्वाम रोइलाइम गुड़गाँव, ऐसे प्रतिबंधों का पालन करेंगे जो इस संबंध में राज्य सरकारों/संघ शासित प्रदेश/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा आदेश द्वारा विनिर्दिष्ट किए जागं।
- (xv) मैं, श्याम गण्याहम गुडगॉव, ऐसे वाहनों का प्रत्येक बार आवागमन के संबंध में राज्य सरकार/ भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वाग इस सबध में विनिर्दिष्ट ऐसे प्राधिकारी या अधिकारी को अग्रिम सूचना देगा।
- (xvi) पंजीकरण प्रमाण-पत्र में एक त्रिशाप पविष्टि की जाए कि वाहनों के मालिक के लिए यह आवश्यक होगा कि वह प्रत्येक प्रचालन के लिए संबंधित प्राधिकारी अर्थात् राज्य सरकार/संघ शासित प्रदेश सरकार/भारतीय राष्ट्रीय राजमार्ग प्राधिकरण से अनुमति प्राप्त करे ।

7 केन्द्रीय माटरयान नियमावली, 1989 के नियम 47 के तहत निर्धाण्य शर्ने पूरी करने तथा बिक्री दस्तावज (बीजक, सभी करों के भुगतान का सवत) पस्तुत करने के बाद ही हरियाणा राज्य में ट्रेलरों का पंजीकरण किया आएगा।

[फा. सं. आर टी-11042/152 2011-एम वर ए । ;

नितिन र गाफण, संयुक्त सचिव

# MINISTRY OF ROAD TRANSPORT AND HIGHWAYS NOTIFICATION-

New Delhi, the 4th January, 2012

S.O. 24(E).—In exercise of the powers conferred by sub-section (3) of Section 58 and sub-section (3)(a) of Section 110 of the Motor Vehicles Act, 1988, the Central Government hereby accords approval to the registration in Haryana of following trailers with maximum safe laden weight and dimensions as mentioned in the Schedule appended hereto:—

#### **SCHEDULE**

1. Type of trailers

: Independent trailers

2. Owned by

M/s. Shyam Roadlines, Gury ion

3. Manufactured by

M/s. Tratec Engineers Private Ltd., Gurgaon

4. No of trailers

Six

5. Description of trailer:

					7	
Chassis No.	No. of Axles	No., Description, Size of tyres	Measurements (Length × Width × Height)	Unladen Weight (in Kgs.)	Maximum Per Axle Load (111 Kgs.)	Weight/ Gross (Kgs.)
04/11/02078 04/11/02079	6 Rows (2 in line axles)	48, eight in each row, 7.50 × 20 × I2 PR	12612 mm > 3000 mm > 1250 mm	27,000	18,000	1,08,000
04/11/02080 04/11/02081	4 Rows (2 in Ime axles)	32 eight in each row 750×20×	9512 mm × 3000 mm × 1250 mm	17,800	18,000	72,000
04/11/02082 04/11/02083	3 Rows (2 in line axles)	24, eight in each row, 7.50 × 20 × 12 PR	7962 mm × 3000 mm × 1250 mm	13,500	18,000	54,000

- 6. The above relaxation is subject to the conditions that:—
  - (i) The operations of the trailer shall be done only sparingly.
  - (ii) Load restrictions on various roads stipulated by the Public Works Department/Local Authorities/National Highway Authority of India will be observed and permission of such authorities will be obtained every time the vehicles are put on the roads. Each of such movement of the trailers will be approved and closely monitored by the concerned road authorities in State/Union Territory/National Highway Authority of India from safety point of view.
  - (iii) The vehicles should display all danger flags and lights preferably the vehicles should be preceded and followed by a vehicle displaying promunently that a heavy load is passing.
  - (iv) Coupling of the trailers along side by side the width of the road shall not be permitted.
  - (v) The programme of the movement of the trailer should be intimated at least ten days in advance to the Executive Engineers concerned and their clearance obtained.
  - (vi) The trailer shall be registered individually and not as a combination.

- (vii) If so directed by the Public Works Department of a State/Union Territory/National Highway Authority of India, the loaded vehicles will not be allowed to pass over the bridges on the roads in that State/Union Territory and in such cases applicants will have to make their own arrangements to cross the rivers/drains.
- (viii) They would need to obtain permission each and every time before moving on a particular route from concerned State or Union Territory Authorities/National Highway Authority of India en route, in view of the oversized cargo. For each such movement, the timing should be prescribed by the concerned authority.
- (ix) They would adhere to the speed limits prescribed by the authorities in State/Union Territory/National Highway Authority of India.
- (x) The said vehicles should be moved without any hindrance to the normal flow of traffic.
- (N) The maximum speed of the trailers for movement on the road shall not exceed 10 kms./hour.
- (xii) The trailers shall be painted for the entire width by yellow and black zebra strips on the front and rear sides duly marked for night time driving/parking suitably by red lamps at the front and rear and red flags on both the sides during day time to indicate the extreme position of the vehicle clearly. In addition the entire overhang shall be covered with a red reflector/reflective tape to facilitate clear vision of overhang at night time.
- (xiii) M/s. Shyam Roadlines, Gurgaon, would be liable to pay such amount to the Government of State/Union Territory/National Highway Authority of India or any other affected person where any damage is caused to the roads or road structures/other road users/person directly or indirectly due to the movement of the trailers.
- (xiv) M/s. Shyam Roadlines, Gurgaon will observe such restrictions as the State/Union Territory Government/ National Highway Authority of India may by order specify in this behalf.
- (xv) M/s. Shyam Roadlines, will give advance intimation to such authority or officer specified in this behalf by the State Government/National Highway Authority of India regarding each movement of such vehicles.
- (xvi) A specific entry in Registration Certificate is to be made that the trailer owner in case of each and every movement will be required to take the permission of concerned Authority i.e. State Government/Union Territory Government/National Highway Authority of India.
- 7. The trailer shall be registered in the State of Haryana only subject to fulfilment of conditions laid down under Rule 47 of the Central Motor Vehicles Rules, 1989 and production of sale documents (invoice, proof of payment of all taxes).

[F. No. RI-11042/152/2011-MVL]

NITINR, GOKARN Jt. Secy.